

6

Elementi di tossicologia alimentare

Bibliografia

- [1] Helferich W., Winter C.K., *Food Toxicology*, CRC Press 2000.
- [2] T. Shibamoto, L. F. Bjeldanes., *Introduction to Food Toxicology*, Academic Press 2009.
- [3] Albert A., *Xenobiosis: foods, drugs, and poisons in human body*, Chapman and Hall 1987.
- [4] Paolo Cabras, Aldo Martelli, *Chimica degli alimenti*, Piccin 2004.
- [5] Toni F., Nanni R., *Lautocontrollo sull'igiene degli alimenti e il metodo HACCP*, Maggioli editore 2007.
- [6] Tedesco A., *Igiene degli alimenti*, Ulrico Hoepli Editore 2007.
- [7] Jay J.M., Loessner M.J., Golden .D.A., *Microbiologia degli alimenti*, Springer Verlag 2009.
- [8] Galli A, Bertoldi A, *Igiene degli alimenti e HACCP*, EPCF libri.
- [9] *Guidance document on the implementation of procedures based on HACCP principles, and on the facilitation of the implementation of the HACCP principles in certain food business*, EC Bruxelles 2006.
- [10] E.G. Rondanelli, M. Fabbi, P. Marone, *Trattato sulle infezioni e tossinfezioni alimentari*, Selecta Medica 2005.
- [11] Pui C.F., Wong W.C., Chai L.C., et al., Salmonella: a foodborne pathogen, *IntFood Res J.* 2011;18:465-473.
- [12] Gandhi M., Chikindas M.L., Listeria: a foodborne pathogen that knows how to survive, *Int J Food Microbiol.* 2007;113:1-15.
- [13] Rodriguez-Lazaro D., Cook N., Ruggeri F.M., Sellwood J., Nasser A., Nascimento M.S., D'Agostino M., Santos R., Saiz J.C., Rzezutka A., Bosch A., Girones R., Carducci A., Muscillo M., Kovac K., Diez-Valcarce M., Vantarakis A., von Bonsdorff C.H., de RodaHusman A.M., Hernandez M., van der Poel W.H, Virus hazards from food, water and other contaminated environments. *FEMS Microbiol Rev.* 2011; 17. 1574-1576.
- [14] La Rosa, Muscillo, *Viruses in food and water: risks, surveillance and control*; Chapter 7 Molecular detection of viruses in water and sewage, Elsevier 2013.
- [15] Bertrand I., Schijven J.F., Sanchez G., Wyn-Jones P., Ottoson J., Morin T., Muscillo M., Verani M., Nasser A., de Roda Usman A.M., Myrme M., Sellwood J., Cook N., Gantzer C., The impact of temperature on the inactivation of enteric viruses in food and water: a review., *J Appl Microbiol* 2012 112: 1059-74.
- [16] Ueki Y., Shoji M., Suto A., Tanabe T., Okimura Y., Kikuchi Y., Saito N., Sano D. & Omura T., Persistence of caliciviruses in artificially contaminated oysters during depuration., *Appl Environ Microbiol* 2007 77, 5618-5701.
- [17] Genchi C., Pozio E., *Parassitologia generale ed umana*, CEA 2004.
- [18] Prusiner SB, Molecular biology of prion diseases, *Science* 1991 Jun 14;252 (5012):1515-22.
- [19] Kretzschmar H.A., Molecular pathogenesis of prion diseases, *Eur Arch Psychiatry Clin Neurosci* 1999;249 Suppl 3:56-63.
- [20] Nathanson N., Wilesmith J., Griot C., Bovine spongiform encephalopathy (BSE): causes and consequences of a common source epidemic, *Am J Epidemiol* 1997 Jun 1;145(11):959-69.
- [21] Fishbein L., Transmissible spongiform encephalopathies, hypotheses and food safety: an overview, *Sci Total Environ* 1998 Jun 30;217(1-2):71-82.
- [22] Bennett, J.W.; Klich, M., Mycotoxins, *Clinical Microbiology Reviews* 2003 16 (3): 497-516.
- [23] Leslie J.F., Bandyopadhyay R., Visconti A., *Mycotoxins*, CABI 2008.
- [24] Richard J.L, Some major mycotoxins and their mycotoxicoses - an overview, *Int. J. Food Microbiol.* 2007 119 (1-2): 3-10.
- [25] Rodericka J.V., Mycotoxins and other fungal related food problems, *Advances in Chemistry Series* 149 Am Chemical Soc 1976.
- [26] Kabak B., Dobson A.D., Var I, Strategies to prevent mycotoxin contamination of food and animal feed: a review. *Crit Rev Food Sci Nutr* 2006 46 (8): 593-619.
- [27] Eaton D.L. et al., Mechanism of aflatoxin carcinogenesis. *Ann Rev Pharmacol* 1994 34:135-172.
- [28] Heritage, J., Evans, G., Killington, R.A., What is the role of fungal toxins in food poisoning (p.115), *Microbiology in Action*, Cambridge University Press 1999.
- [29] Bayman P., Baker J.L., Ochratoxins: a global perspective, *Mycopathologia* 2006 162 (3): 215-23.
- [30] Gekle et al., Renal toxodynamics of ochratoxin A: a pathophysiological approach. *Kidney Blood Press Res* 1996 19:225-235.
- [31] Scientific Panel on Contaminants in the Food Chain, Opinion of the Scientific Panel on Contaminants in the Food Chain on a request from the Commission related to Ochratoxin A in Food, Question N° EFSA-Q-2005-154, Adopted on 4 April 2006. *The EFSA Journal* 2006 365: 1-56.
- [32] Eadie M.J., Convulsive ergotism: epidemics of the serotonin syndrome? *Lancet Neurol.* 2003 2: 429-434.

- [33] Colella D., Le epidemie di ergotismo nell'XI secolo, *Pagine di Storia della Medicina*, 1969 vol. 13, pp. 68-77.
- [34] Sanders S.W., Haering N., Mosberg H., Jaeger H., Pharmacokinetics of ergotamine in healthy volunteers following oral and rectal dosing. *Eur J Clin Pharmacol* 1983 30: 331-4.
- [35] Mari F., Bertol E., *Trattato di Tossicologia Forense*, Cepam 1994.
- [36] Speggiari A., I funghi matti nella tradizione popolare: aspetti epidemiologici di sostanze psicotrope. *Il chimico Italiano* 2000 VI:22-25.
- [37] Magalini S.I., Macaluso S., Sandroni C., Addario C., *Sindromi tossiche sostenute da principi di origine vegetale*, Caleidoscopio 1995.
- [38] Pierluigi Angeli, Ennio Lazzarini, Roberto Para, *I funghi tossici e velenosi*, Hoepli 2009.
- [39] Wasson R. G., Pavlovna V., *Mushrooms, Russia and History*. Pantheon Books 1957.
- [40] Michelot D., Melendez-Howell L.M., Amanita muscaria: chemistry, biology, toxicology and ethnomycology. *Mycol Res* 2003 107:131-146.
- [41] Samorini G., *Amanita Muscaria*, ed. Nautilus 1998.
- [42] Escudié L., Francoz C., Vinel J.P., Moucari R., Cournot M., Paradis V., Sauvanet A., Belghiti J., Valla D., Bernuau J., Durand F., Amanita phalloides poisoning: reassessment of prognostic factors and indications for emergency liver transplantation. *J. Hepatol.* 2007 46 (3): 466-73.
- [43] Shi GQ, Zhang J, Huang WL, Yang T, Ye SD, et al., Retrospective study on 116 unexpected sudden cardiac deaths in Yunnan, China. *Chin J Epidemiol* 2006 27:2: 96-101.
- [44] Zhong-Yu Zhou, Guo-Qing Shi et al., Evidence for the Natural Toxins from the Mushroom *Trogia venenata* as a Cause of Sudden Unexpected Death in Yunnan Province, China. *Angewandte Chemie* 2012 51:2368-70.
- [45] Bulgarelli G., Flamigni S., *Le piante tossiche e velenose*, Hoepli 2010.
- [46] Capasso F, Grandolini G, Izzo AA., *Fitoterapia*, Springer 2006.
- [47] Leporati M.L., Posocco E., *Piante pericolose*, Japadre Editore 2006.
- [48] Viola S., *Piante medicinali e velenose della flora italiana*, Istituto De Agostini 1965.
- [49] Bruneton J., *Toxic plants, dangerous to humans and animals*, Intercept ltd, Lavoisier 1999.
- [50] Miller EC et al., Carcinogens and mutagens that may occur in foods. *Cancer* 1986 58:1795.
- [51] Depierreux M, Van Damme B, Vanden Houte K, Vanherweghen JL., Pathologic aspects of a newly described nephropathy related to the prolonged use of Chinese herbs. *Am. J. Kidney Dis.* 1994; 24: 172-180.
- [52] Kim H et al., Pyrrolizidine alkaloid-induced DNA-protein cross-links. *Carcinogenesis* 1995;16:2691.
- [53] S.L.N. Rao, P.R. Adiga, P.S. Sarma, The Isolation and Characterization of β -N-Oxalyl-L- α , β -diaminopropionic acid: A Neurotoxin from the Seeds of *Lathyrus sativus*. *Biochemistry* 1964 3 (3): 432-436.
- [54] P. Bernardini, Il rischio tossicologico da prodotti di uso domestico. *Arch. Scienze Lav.* 1992 8: 197.
- [55] Hallström H1, Thuvander A., Toxicological evaluation of myristicin. *Nat Toxins*. 1997; 5(5):186-92.
- [56] McKenna A, Nordt SP, Ryan J. Acute nutmeg poisoning. *European Journal of Emergency Medicine* 2004;11 (4): 240-1.
- [57] Walker BR et al., Licorice-induced hypertension and syndromes of apparent mineralcorticoid excess. *Endocrinol Metabellla Clin N Am* 1994; 23:359
- [58] Prete PE., The mechanism of action of L-canavanine in inducing autoimmune phenomena. *Arthritis Rheum.* 1985; 28(10):1198-1200.
- [59] Gordon RY, Becker DJ., The role of red yeast rice for the physician. *Current Atherosclerosis Reports*. 2011; 13(1):73-80.
- [60] Heber D, Lembertas A, Lu QY, et al., An analysis of nine proprietary Chinese red yeast rice dietary supplements: implications of variability in chemical profile and contents. *Journal of Alternative and Complementary Medicine*. 2001; 7(2):133-139.
- [61] Surh YJ et al., Capsaicin, a double edged sword: toxicity, metabolism and chemopreventive potential. *Life Sci* 1995;56:1845.
- [62] Roupas P et al., Mushrooms and agaritine: a mini review, *Journal of functional foods*, 2 2010;2: 91-98.
- [63] Wolk BJL, Ganetsky M, Babu K., Toxicity of energy drinks, *Curr Opin Pediatr*. 2012.
- [64] Williamson JA, Fenner PJ, Burnett JW et al., *Venomous and poisonous marine animals. A medical and biological handbook*. University of New South Wales Press 1996.
- [65] Ghiretti F, Cariello L. *Gli animali marini velenosi e le loro tossine*, Piccin 1984.
- [66] Hashimoto Y., *Marine toxins and other bioactive marine metabolites*. Japan Scientific Society Press 1979.
- [67] Habermehl G., *Venomous animals and their toxins*. Springer 1981.
- [68] Ledoux M, Freymy JM., Phytoplankton, phycotoxins et intoxications alimentaires, *Recueil de Medicine Veterinaire* 1994.
- [69] PW. Halstead., Paralytic Shellfish poisoning, WHO 1984, Geneva.
- [70] Ramos V., Vasconcelos V., Palytoxin and analogs: biological and ecological effects. *Mar. Drugs* 2010 8:2021-2037.
- [71] Ciminiello P, Dell'Aversano C, Fattorusso E, Forino M, Magno GS, Tartaglione L, Grillo C, Melchiorre N. The Genoa 2005 outbreak. Determination of putative palytoxin in Mediterranean *Ostreopsis ovata* by a new liquid chromatography tandem mass spectrometry method. *Anal. Chem.* 2006; 78:6153-6159.
- [72] Totti C, Accoroni S, Cerino F, Cucchiari E, Romagnoli T., *Ostreopsis ovata* bloom along the Conero Riviera (Northern Adriatic Sea): relationships with environmental conditions and substrata. *Harmful Algae*. 2010; 9:233-239.
- [73] Wymenga W., Biogenic amine formation and degradation by potential fish sludge starter microorganisms. *Int. J. Food Microbiol.* 2000 57:107-114.
- [74] Ladero V., Calles-Enríquez M., Fernández M., Alvarez M.A., Toxicological effects of dietary biogenic amines. *Curr. Nut. Food Sci.* 2010 6:145-156.
- [75] Flint S., Fletcher G., Bremer P., Meerdink G., Con-

- trol of Biogenic amines in food – Existing and Emerging Approaches. *J. Food Sci.* 2010 75:R139-R150.
- [76] Halász A., Barath A., Simon-Sarkadi L., Holzapfel W., Biogenic amines and their production by microorganisms in food. *Trends Food Sci. Tech.* 1994 5:42-49.
- [77] Pircher et al., Formation of cadaverine, histamine, putrescine and tyramine by bacteria isolated from meat, fermented sausages and cheeses. *Eur Food Res Technol* 2007 226:225-231.
- [78] Maintz L., Novak N., Histamine and histamine intolerance. *Am.J. Clin. Nutr.* 2007 85:1185-96.
- [79] Blackwell B., Mabbitt L., Tyramine in cheese related to hypertensive crisis after monoamine oxidase inhibition. *Lancet* 1965 2:93.
- [80] Analysis of occurrence of 3-monochloropropane-1,2-diol (3-MCPD) in food in Europe in the years 2009-2011 and preliminary exposure assessment, *EFSA Journal* 2013;11(9):338 .
- [81] Svejková B, Novotný O, Divinová V, Réblová Z, Doležal M, Velišek, Esters of 3-Chloropropane-1,2-Diol in Foodstuffs. *Czech J Food Sci* 2004 22: 190-195
- [82] Zheng W, Lee SA. Well-done meat intake, heterocyclic amine exposure, and cancer risk, *Nutr Cancer.* 2009;61(4):437-46.
- [83] Volk DE, Thiviyathan V, Rice JS, Luxon BA, Shah JH, Yagi H, Sayer JM, Yeh HJ, Jerina DM, Gorenstein DG., Solution structure of a cis-opened (10R)-N6-deoxyadenosine adduct of (9S,10R)-9,10-epoxy-7,8,9,10-tetrahydrobenzo[a]pyrene in a DNA duplex. *Biochemistry.* 2003 February 18;42(6):1410-20.
- [84] Lee BM, Shim GA. Dietary exposure estimation of benzo[a]pyrene and cancer risk assessment. *Journal of Toxicology and Environmental Health Part A.* 2007 ;70(15-16):1391-4.
- [85] Weisburger, J.H., Comments on the history and importance of aromatic and heterocyclic amines in public health. *Mutation Research* 2002, 506-507, 9-20.
- [86] Le Marchand L, Hankin JH, Pierce LM, Sinha R, Nerurkar PV, Franke AA, Wilkens LR, Kolonel LN, Donlon T, Seifried A, Custer LJ, Lum-Jones A, Chang W., Well-done red meat, metabolic phenotypes and colorectal cancer in Hawaii. *Mutation Research.* 2002 Sep 30;506-507:205-14.
- [87] Tareke E, Rydberg P, Karlsson P, Eriksson S, Törnqvist M., Analysis of acrylamide, a carcinogen formed in heated foodstuffs. *Journal of Agricultural and Food Chemistry.* 2002 50(17):4998-5006
- [88] Dixit, R, M Das, PK Seth, et al., Interaction of acrylamide with glutathione in rat erythrocytes, *Toxicol Lett* 1984 23(3): 291-8.
- [89] Captano E, Fogliano V., Acrylamide and 5-hydroxymethylfurfural (HMF): A review on metabolism, toxicity, occurrence in food and mitigation strategies. *Food Science and Technology* 44, 4, 2011, pp. 793–810.
- [90] Chipman JK, Wegener JW, Hamberger C et al., Furan in heat-treated foods: formation, exposure, toxicity, and aspects of risk assessment. *Mol. Nutr Food Res* 2012 ;56(8):1197-211.
- [91] Maga, J.A., Furans in Food. *Critical Reviews in Food Science and Nutrition*, 1979 4, 355-399.
- [92] Byrns, M.C., Predecki, D.P., Peterson, L.A., Characterization of nucleoside adducts of cis-2-butene-1,4-dial, a reactive metabolite of furan. *Chem. Res. Toxicol.* 2002 15, 373-379.
- [93] Arnold Schecter, Matthew Lorber, Ying Guo, Qian Wu, Se Hun Yun, Kurunthachalam Kannan Madeline Hommel, Nadia Imran, Linda S. Hynan, Dunlei Cheng, Justin A. Colacino, Linda S. Birnbaum. Phthalate Concentrations and Dietary Exposure from Food Purchased in New York State, *Environ Health Perspect* 2013.
- [94] Cao Xu-Liang, Phthalate esters in foods: sources, occurrence, and analytical methods. *Comp Rev Food Sci Food Safety* 2010 9:21–43.
- [95] Main, K.M., G.K. Mortensen, M.Kaleva, K.A.Boisen, I.N. Damgaard, M. Chellakooty, I.M. Schmidt A.M. Suomi, H.E. Virtanen D.V. Petesen, J.Toppari, N.E. Skebae, Human breast milk contamination with phthalates and alterations of endogenous reproductive hormones in infants three months of age. *Environmental Health Perspectives* 2006 114 (2):270-6
- [96] *The EFSA Journal* (2008) n. 653, 1-131.
- [97] Juskevich JC, Guyer CG., Bovine growth hormone: human food safety evaluation, *Science* 1990:. 249 no. 4971 pp. 875-884 .
- [98] Bruhn, C. M., Winter, C. K., Beall, G. A., Brown, S., Harwood, J.O., Lamp, C. L., Stanford, G., Steinbring, Y. J., Turner, B., Consumer response to pesticide/food safety risk statements: implications for consumer education, *Dairy Food Environ. Sanit.*, 1998 18, 5, 278.
- [99] Miyamoto J, Kaneko H, Hudson DH, Haser HO, Gorbach S et al., Pesticide metabolism: extrapolation from animal to man, Blackwell Scientific, 1988.
- [100] Ecobichon, D. J., Toxic effects of pesticides, *Casarett & Doull's Toxicology: The Basic Science of Poisons*, 5th ed., McGraw-Hill 1996.
- [101] Winter, C. K., Dietary pesticide risk assessment, *Rev. Environ. Contam. Toxicol.* 127, 23, 1992.
- [102] M.O. Amdur, J. Doull, C.D. Klaassen. Effetti tossici dei pesticidi, *Tossicologia*. EMSL, Ed. Italiana 1993.
- [103] JE. Davies, A. Barquet, VH. Freed, R. Haque, C. Morgade, RE Sonneborn, C.Vaclavek., Human pesticide poisoning by a fat-soluble organophosphate insecticide. *Arch Environ Health* 1975 ; 30 :608-613.
- [104] Lindén J, Lensu S, Tuomisto J, Pohjanvirta R, Dioxins, the aryl hydrocarbon receptor and the central regulation of energy balance, *Front Neuroendocrinol* 2010 31 (4): 452–78.
- [105] Marshall, C. J., Effects and mechanisms of action of pyrethrin and pyrethroid insecticides, *Handbook of Neurotoxicology*, Chang, L. W. and Dyer, R. S., Eds., Marcel Dekker 1995.
- [106] E.R. & Kleinsasser, N.H., Genotoxicity and cytotoxicity of 4-nonylphenoxyethoxy on lymphocytes as assessed by the COMET assay. *International Journal of Environmental Analytical Chemistry* 2002 82(6):395-401.
- [107] Jobling, S., Nolan, M., Tyler, C. R., Brighty, G., Sumpter, J. P., Widespread sexual disruption in wild fish. *Environ. Sci. Technol.* 1998 32: 2498-2506.
- [108] Selected trace and ultratrace elements: biological role, content in feed, and requirements in animal nutrition — elements for risk assessment. *Technical Report submitted to EFSA* (2010).
- [109] Mahaffey, K.R., Fish and shellfish as dietary source of methylmercury and the omega-3 fatty acids, eico-

- sahexaenoic acid and docosahexaenoic acid: risks and benefits. *Environmental Research* 2004 95(3):414-28
- [110] Copper. *Trace elements in human nutrition and health*, Chapter 7, pp. 123–143, WHO (1996).
- [111] Iqbal, Shahed; Blumenthal W, Kennedy C, Yip FY, Pickard S, Flanders WD, Loring K, Kruger K, Caldwell KL, Jean Brown M. (10), Hunting with lead: association between blood lead levels and wild game consumption. *Environ Res* 109 (8): 952–959.
- [112] Scientific Opinion on Lead in Food. *EFSA Journal* 2010; 8(4):1570.
- [113] Comparison of the Approaches Taken by EFSA and JECFA to Establish a HBGV for Cadmium. *EFSA Journal* 2011; 9(2).
- [114] Yokoi K, Kimura M, Itokawa Y., Effect of dietary tin deficiency on growth and mineral status in rats. *Biol. Trace Elem. Res.* 1990 24:223-231.
- [115] Sicurezza dell'alluminio assunto con l'alimentazione. *EFSA Journal* 2008 754, 2-4.
- [116] Arsenic in Food on request from the European Commission. *EFSA Journal* 2009; 7(10 OE).
- [117] Scientific Opinion of the CONTAM Panel: Uranium in Food. *EFSA Journal* 2009.
- [118] Solomons NW, Fernando V, Shuler TR, Nielsen FH., Bioavailability of nickel in man: effects of foods and chemically defined dietary constituents on the absorption of inorganic nickel. *J Nutr.* 1982;112:39–50.
- [119] Katz, S.A., Salem, H., *The Biological and Environmental Chemistry of Chromium*, VCH Publishers Inc 1994.
- [120] World Health Organization (WHO) 1988, *Environmental Health Criteria 61*, Chromium, Geneva, WHO 197
- [121] Maga, J. A., *Types of food additives*, in *Food Additive Toxicology*, Maga, J. A. and Tu, A. T., Eds., Marcel Dekker 1995.
- [122] Mariani M, Testa S., *Gli additivi alimentari*, Macroedizioni.
- [123] Huls ME., *Food additives and their impact on health*. Oryx Press 1981.
- [124] Millstone E., *Food additives*. Penguin Books 1986.
- [125] FDA, Food additives permitted for direct addition to food for human consumption: aspartame. *Fed. Reg.* 1984 496672.
- [126] Kotsonis FN, Hjielle JJ., The safety assessment of aspartame: scientific and regulatory considerations. Da Christian Tschanz, Harriett H. Butchko, W. Wayne Stargel, Frank N. Kotsonis. *The Clinical Evaluation of a Food Additive: Assessment of Aspartame*, CRC Press 1996.
- [127] Wasuntarawat C, Temcharoen P, Toskulkao C, Mungkornkarn P, Suttajit M, Glinsukon T, Developmental toxicity of steviol, a metabolite of stevioside, in the hamster, *Drug Chem Toxicol.* 1998 n. 21(2), pag. 207-22.
- [128] Takayama, S.; Sieber, SM.; Adamson, RH.; Thorgerirsson, UP; Dalgard, DW; Arnold, LL.; Cano, M.; Eklund, S.; Cohen, SM., Long-term feeding of sodium saccharin to nonhuman primates: implications for urinary tract cancer». *J Natl Cancer Inst* 1998 90 (1): 19–25.
- [129] Cheskin LL, Miday R, Zorich N, Filloon T., Gastrointestinal symptoms following consumption of olestra or regular triglyceride potato chips: a controlled comparison. *JAMA*, 1998 279,2,150.
- [130] Peters JC, Lawson KD, Middleton SJ, Triebwasser KC., Assessment of the nutritional effects of olestra, a nonabsorbed fat replacement, *J. Nutr* 1997,127,8,1719s.
- [131] Piscopo A., Additivi e coadiuvanti. Utilizzo di ca-fodos, perossido di idrogeno e di cloro nei prodotti della pesca. *Il Pesce* nr. 6, 2010.
- [132] Biello D., Is Radioactive Hydrogen in Drinking Water a Cancer Threat?, *Scientific American* Feb 2014.